

AD-A078 732

LETTERMAN ARMY INST OF RESEARCH SAN FRANCISCO CA
REPORT OF THE 1977 MICROBIOLOGICAL DATA COLLECTION PROGRAM.(U)
OCT 79 J T FRUIN , W H LANGLEY, A K REGH

F/G 6/13

UNCLASSIFIED LAIR-77

NL

| OF |
AD
A078732



ADA 078732



LEVEL

42



INSTITUTE REPORT NO. 77

REPORT OF 1977 MICROBIOLOGICAL DATA COLLECTION PROGRAM


JOHN T. FRUIN, LTC, VC, DVM, PhD
WILLIAM H. LANGLEY, JR., BS
and
ANNE K. REGH

DIVISION OF NUTRITION TECHNOLOGY
and
INFORMATION SCIENCES GROUP

DDC FILE COPY

This document has been approved
for public release and sale; its
distribution is unlimited.

OCTOBER 1979



LETTERMAN ARMY INSTITUTE OF RESEARCH PRESIDIO OF SAN FRANCISCO CALIFORNIA 94129

Reproduction of this document in whole or in part is prohibited except with the permission of Letterman Army Institute of Research, Presidio of San Francisco, California 94129. However, DDC is authorized to reproduce the document for United States Government purposes.

Destroy this report when no longer needed. Do not return it to the originator.

Citation of trade names in this report does not constitute an official endorsement or approval of the use of such items.

John W. Marshall 30 Nov 79
(Date)

This material has been reviewed by Letterman Army Institute of Research and there is no objection to its presentation and/or publication. The opinions or assertions contained herein are the private views of the author and are not to be construed as official or as reflecting the views of the Department of the Army or the Department of Defense. (AR 360-5)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

14 LAIR-77

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER LAIR Institute Report No. 77	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) REPORT OF THE 1977 MICROBIOLOGICAL DATA COLLECTION PROGRAM	5. TYPE OF REPORT & PERIOD COVERED Jan - Dec 1977 Final	
7. AUTHOR(s) J.T. FRUIN, LTC, VC, DVM, PhD; W.H. LANGLEY, Jr., BS; and A.K. REGH	8. CONTRACT OR GRANT NUMBER(s) 12631	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Division of Nutrition Technology, (SGRD-ULN), Letterman Army Institute of Research, Presidio of San Francisco, CA 94129	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Project#3M762772A811-Military Nutrition & Food Hygiene WU#004-Military Food Hygiene	
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Medical Research and Development Command Fort Detrick Frederick, MD 21701	12. REPORT DATE October 1979	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 9 Final rept. Jan-Dec 77,	13. NUMBER OF PAGES 65	
15. SECURITY CLASS. (of this report) UNCLASSIFIED		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) THIS DOCUMENT HAS BEEN APPROVED FOR PUBLIC RELEASE AND SALE: ITS DISTRIBUTION IS UNLIMITED 16 3M762772A811		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 10 John T. / Fruin, William H. / Langley, Jr. Anne K. / Regh		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Military public health, Food Hygiene, food microbiological data bank, microbiology, food microbiological standards, LAIR, and food microbiology.		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is the sixth and final in a series of reports which present the results of food microbiological testing (except fresh dairy products) performed by official Department of Defense Medical Laboratories, 1972-77. The program was designed and operated by the Department of Information Sciences, under the direction of the Food Hygiene Division, Letterman Army Institute of Research, utilizing in-house resources and the Lawrence Berkeley Laboratory computer facilities.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

404 912

JOB

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. A total of nearly 6500 samples were analyzed. Only a small percentage of the samples yielded potential pathogens. The data reported will be invaluable in the establishment of microbial standards for food items.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

ABSTRACT

This is the sixth and final in a series of reports which present the results of food microbiological testing (except fresh dairy products) performed by official Department of Defense Medical Laboratories in 1972-1977. The program was designed and operated by the Department of Information Sciences, under the direction of the Food Hygiene Division, Letterman Army Institute of Research, utilizing in-house resources and the Lawrence Berkeley Laboratory computer facilities.

A total of nearly 6500 samples were analyzed. Only a small percentage of the samples yielded potential pathogens. The data reported will be invaluable in the establishment of microbial standards for food items.

Accession For	
NHS 61161	
DMS TAB	
Unannounced	
Justification	
By	
Distribution/	
Availability Codes	
Dist	Availand/or special
19	

PREFACE

The authors wish to thank the laboratory officers and staff of the laboratories performing the analyses. We wish to thank COL James F. Fowler and Mr. James F. Foster, who worked for many years developing the collection system and SP4 Clayton Poon and Mr. Peter Taylor for their assistance in tabulating the data.

TABLE OF CONTENTS

	<u>Page</u>
Abstract	1
Preface	11
Table of Contents	111
BODY OF REPORT	
INTRODUCTION	1
MATERIALS AND METHODS	1
RESULTS AND DISCUSSION	1
RECOMMENDATIONS AND CONCLUSIONS	4
REFERENCES	5
Appendix	7
Glossary of Terms and Abbreviations	55
Distribution List	56

INTRODUCTION

Man's knowledge of the role that certain food- and water-borne microorganisms play in disease processes has been obtained relatively recently. It was correct to reason that a reduction in the microbial content of food and water would reduce the incidence of disease. This was shown in the early 1900s by the dramatic reduction of milk- and water-borne disease following the implementation of milk pasteurization and water chlorination, concurrent with the establishment of microbial standards. Most food items do not lend themselves to procedures that provide the magnitude of reduction in microbial populations that fluid products do. Thus microbial standards that have been applied to solid food items must be relevant to the naturally existing normal flora. Extensive data must be generated to support the development of meaningful microbial standards for foods.

This is the sixth and final in a series of reports presenting the tabulation and analysis of food microbiological data generated annually by Department of Defense laboratories. Data are reported as received from performing laboratories. Thus, reason for submission, method of sample collection, delivery, analysis, and reporting results vary within and among performing laboratories. Therefore data are not and cannot be discussed to the extent desired. The data contained in this report and in previous reports help to provide the extensive data base needed to support standards. In addition, the information is valuable to military public health and regulatory medicine officials. Data generated in 1977 are presented in the form of tables and, when applicable, a discussion of the results is presented.

MATERIALS AND METHODS

The data collection system used was the same as the system reported in 1973 (1) and modified in 1975 (2), except that procedures were implemented to allow the entering of data directly onto magnetic tape utilizing a remote terminal. Graphs are not used to present data in this report. It is anticipated, however, that some graphic displays will be presented in a report, currently in preparation, that summarizes data collected over a five-year period.

RESULTS AND DISCUSSION

Technical Data

Selected statistics pertaining to the 1977 file are as follows:

Number of participating laboratories	10
Total sample headings	6,480
Total analyses performed	24,078

Aerobic plate counts performed	5,709
Coliform counts performed	6,042
Yeast and mold counts performed	1,834
<u>Escherichia coli</u> analyses performed	4,370
<u>Salmonella</u> analyses performed	977
<u>Clostridium perfringens</u> analyses performed	580
<u>Clostridia-not perfringens</u> analyses performed	11
Types of food analyzed	658

The participating laboratories, their locations, and the number of submissions from each during 1977 are listed in Table 1. The Central Food Preparation Facility (CFPF) Food Quality Control Laboratory was established to monitor the microbial quality of food items at critical control points and after final preparation in the CFPF. The bulk of the CFPF samples were of finished products. The total of 6480 samples analyzed in 1977 compares to 8048, 6120, 7639, 7409, and 7346 samples analyzed in 1972, 1973, 1974, 1975, and 1976, respectively. (1,2,3,4,5)

Table 2 lists the reasons for submission and the number of samples, listed by food item, submitted to the laboratories. The reason given for all food samples analyzed by the CFPF was for surveillance. Over-all fewer samples were analyzed for each reason, in 1977, except for research.

During 1977 a total of 79 food samples from 20 different food classifications were analyzed (Table 3). Escherichia coli, fecal streptococci, Staphylococcus aureus, and Bacillus species were the only microorganisms isolated from these samples that were of public health significance. No pathogens or abnormally high counts were reported from the 187 samples of baby food analyzed (Table 4) or from the 53 samples of bakery products (Table 5).

Two samples from the combat meals, canned (Table 6), were not commercially sterile. No information was available as to whether the contaminated cans were leakers, swellers, flippers, or normal, but it is suspected that the integrity of the containers had been violated. One sample of the chocolate candy, a product which is not expected to be sterile, contained Bacillus species. One sample of catsup (Table 7) was contaminated with Bacillus subtilis. Since catsup is a food with a high acid content and B. subtilis is not considered pathogenic, its presence in catsup has no public health significance. Table 8 shows that 16 of 90 cheese samples contained Escherichia coli. All 16 contaminated samples were from one type or another of diced cheese, because of the additional processing it is likely that the contamination occurred during post-production processing. An epidemiologic investigation revealed a contaminated slicing machine that could not be sanitized properly. Action included removing the slicer from service and submission of an unsatisfactory material report to remove the item from the federal stock list. No microorganisms were isolated from desserts (Table 9).

Table 10 presents the results of analyzing drinks. Due to the nature of carbonated drinks and as seen from the results reported this year and in the past, there appears to be little need for microbiological analyses of these products. The only results of public health significance reported from drinks were the isolation of Bacillus cereus, Staphylococcus epidermidis, and Corynebacterium species from canned tomato juice. Due to the high acid content of this thermally processed product, contamination by these microorganisms indicate either inadequate processing or container deterioration. No microorganisms were isolated from eggs (Table 11) or from pizza (Table 12).

Bacillus cereus was isolated in 3 of 6 apple pie filling samples (Table 13). The isolation of this organism is not significant from a public health standpoint, but the number of organisms per gram is. In these cases the number isolated per gram was low. Bacillus species were isolated, as would be expected, from each of the 5 raisin samples. No microorganisms were isolated from processed vegetables (Table 14). Five of 8 samples of chili con carne and beans (Table 15) were E. coli positive. An isolation rate of 62.5% is excessively high for this type product and an epidemiological investigation into the processing of this food item may be warranted.

No findings of public health significance were reported for pet food (Table 16), canned meats (Table 17), topping (Table 18), and syrup (Table 19). Yeasts and molds were isolated in low numbers and at varying frequencies from margarine (Table 20), sauces (Table 21), and salad dressing (Table 22). One sample of soup (Table 23) had a plate count of 220/g. The sample was taken from production at CFPS and was not intended to be a sterile product. The only sample from milk and milk products (Table 24) that may be of public health significance was ice cream mix which had a coliform count of greater than 600 per gram. (Data from fresh fluid dairy products are not included in this report). The analytical results from seafood are revealed in Table 25. Considering that many of these items were not subjected to any thermal processing and the normal habitat of the source species often contains coliforms, E. coli and Streptococcus faecium the results are as would be expected. The frequency of E. coli isolation from miscellaneous raw meat items (Table 26) was higher than expected, however, counts per gram were low. The isolation of viable organisms from canned lasagne and canned mushrooms is of potential public health concern. It is suspected that the coliform isolated from canned lasagne was the result of contamination due to a defective can, since coliforms are heat sensitive. The isolation of Clostridium from canned mushrooms indicates inadequate thermal processing.

The microbiological data for inflight meals, luncheon meats, poultry, precooked frozen meals, salads, sandwich spreads, and sandwiches are provided in detail in Table 27. The data presented in this table are the food item, aerobic plate count times 1000/g, coliform count/g, yeast and mold count/g, and the results of E. coli analyses. The number of

samples for each analysis is given immediately preceeding the number in each count range. It is apparent that certain analyses were not performed on many samples; these are annotated as "not tested." Results reported in all tables are as received from the performing laboratories.

A special table (Table 28) was prepared for beef, pork, and fresh ground sausage, because these products often have a high natural flora. The multiplier used for the standard plate count in these analyses is $10^4/g$, unless otherwise stated. A total of 16 Salmonella species isolates were obtained from fresh ground pork sausage while undergoing analyses for research purposes. Approximately 3% of the research samples analyzed were positive for Salmonella.

RECOMMENDATIONS AND CONCLUSIONS

1. Accumulation of data on file should be continued. However, funds are currently not available to support the program. Thus, if the program is to continue, operational funding must be provided. In addition, consideration should be made for further program development. Data similar to that presented in this report could be tabulated via computer and printed.
2. Recommend funding and resources be sought to continue this program.
3. Maximum use should be made of the data on file in reviewing specifications.
4. Microbiological guidelines based on the data presented in this and in preceding reports should be formulated.
5. Data on file should remain available to interested parties.
6. Research in military food hygiene should be instituted when problem products are identified.

REFERENCES

1. FOWLER, J.L., D.L. STUTZMAN, J.F. FOSTER, and W.H. LANGLEY, JR. Report of 1973 microbiological data collection program. Report No. 27. Presidio of San Francisco, California: Letterman Army Institute of Research, November 1975
2. FOWLER, J.L., D.L. STUTZMAN, J.F. FOSTER, W.H. LANGLEY, JR., and K.E. TREFZ. Report of 1975 microbiological data collection program. Report No. 32. Presidio of San Francisco, California: Letterman Army Institute of Research, October 1976
3. FOWLER, J.L., P. RUCKH, T.G. MURNANE, and W.F. GANZ. Report of analyses of 1972 microbiological data collection program. Report No. 339. Denver, Colorado: US Army Medical Research and Nutrition Laboratory, September 1973
4. FOWLER, J.L., D.L. STUTZMAN, J.F. FOSTER, W.H. LANGLEY, JR. and K.E. TREFZ. Report of 1974 microbiological data collection program. Report No. 28. Presidio of San Francisco, California: Letterman Army Institute of Research, June 1976
5. FRUIN, J.T., J.F. FOSTER, D.L. STUTZMAN, W.H. LANGLEY, JR., J.L. FOWLER, and K.E. TREFZ. Report of 1976 microbiological data collection program. Report No. 55. Presidio of San Francisco, California: Letterman Army Institute of Research, July 1978

LIST OF TABLES

	<u>Page</u>
Table 1: Participating Laboratories, Location and Number of Samples Tested	9
Table 2: Reasons for Submission and Item Class Listing	10
Table 3: Microbiological Isolates from Samples Submitted as Food Poisoning Suspects	12
Table 4: Microbiological Isolates from Baby Food Samples . . .	13
Table 5: Microbiological Isolates from Bakery Products	14
Table 6: Microbiological Isolates from Combat Meals, Canned	15
Table 7: Microbiological Isolates from Catsup	16
Table 8: Microbiological Isolates from Cheese Samples	17
Table 9: Microbiological Isolates from Desserts	18
Table 10: Microbiological Isolates from Drinks	19
Table 11: Microbiological Isolates from Eggs	20
Table 12: Microbiological Isolates from Pizza	21
Table 13: Microbiological Isolates from Fruits	22
Table 14: Microbiological Isolates from Vegetables	23
Table 15: Microbiological Isolates from Chili	24
Table 16: Microbiological Isolates from Pet Food	25
Table 17: Microbiological Isolates from Meats, Canned	26
Table 18: Microbiological Isolates from Topping	27
Table 19: Microbiological Isolates from Syrup	28
Table 20: Microbiological Isolates from Margarine	29
Table 21: Microbiological Isolates from Sauces	30

APPENDIX

LIST OF TABLES (Cont)

	<u>Page</u>
Table 22: Microbiological Isolates from Salad Dressing	31
Table 23: Microbiological Isolates from Soup	32
Table 24: Microbiological Isolates from Milk and Milk Products	33
Table 25: Microbiological Isolates from Seafood	34
Table 26: Microbiological Isolates from Miscellaneous Items . .	35
Table 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches . . .	37
Table 28: Microbiological Results of Analyzing Beef, Pork, and Sausage	46

TABLE 1: Participating Laboratories, Location and Number of
Samples Tested

LOCATION	NO. OF SAMPLES
Central Food Preparation Facility Food Quality Control Laboratory Ft. Lee, Virginia 23801	737
Food Hygiene Division Division of Nutrition Technology Letterman Army Institute of Research Presidio of San Francisco, CA 94129	555
Veterinary Division Fifth US Army Medical Laboratory Fort Sam Houston, Texas 78234	304
Veterinary Division First US Army Medical Laboratory Fort Mead, Maryland 20755	597
Department of Veterinary Medicine 406th Medical Laboratory APO San Francisco, California 96343	296
Third US Army Medical Laboratory Fort McPherson, Georgia 30330	520
Department of Veterinary Medicine Sixth US Army Medical Laboratory Fort Baker Sausalito, California 94965	1,232
US Army Medical Laboratory Schofield Barracks, Hawaii APO San Francisco, California 96557	372
Veterinary Department Fifth US Army Medical Laboratory St. Louis, Missouri 63166	13
Department of Veterinary Medicine Tenth Medical Laboratory APO New York, New York 09180	1,854
TOTAL	6,480

TABLE 2: Reasons for Submission and Item Class Listing

REASONS FOR SUBMISSION

<u>REASONS</u>	<u>NUMBER OF SAMPLES</u>
Food Poisoning Suspect	79
Procurement	1,137
Research	553
Special	1,682
Surveillance	<u>3,029</u>
TOTAL	6,480

ITEM CLASS LISTING

<u>ITEM CLASS</u>	<u>NUMBER OF SAMPLES</u>
Baby Food	187
Bakery Products	53
Beef	1,487
Catsup	16
Cheese	90
Chili	15
Combat Meals	62
Desserts	7
Drinks	170
Eggs	2
Fruit	73
Inflight Meals	101
Luncheon Meats	7
Margarine	9
Meats, Canned	41
Milk & Milk Products	22
Miscellaneous	288
Pet Food	135
Precooked Frozen Meals (PFM)	273
Pizza	1
Pork	317
Poultry	35
Prepared Meals	2
Salad Dressing	42
Salads	1,181
Sandwich Spreads	78
Sandwiches	426
Sauces	36
Sausage	719

TABLE 2: ITEM CLASS LISTING (Cont)

ITEM CLASS	NUMBER OF SAMPLES
Seafood	135
Soup	35
Syrup	15
Topping	25
Vegetables	<u>395</u>
TOTAL 6,480	

TABLE 3: Microbiological Isolates from Samples Submitted as Food Poisoning Suspects

Item Class	Number of Samples	Significant Results
Bakery Products	1	None
Beef	10	<u>Escherichia coli</u> - 3 Isolates
Chili	2	None
Drinks	16	None
Fruits	2	None
Luncheon Meats	1	None
Meats, Canned	1	None
Miscellaneous	2	None
Precooked Frozen Meals	2	None
Pizza	1	Fecal streptococci - 1 Isolate
Pork	6	<u>Staphylococcus aureus</u> - 2 Isolates
Poultry	3	<u>Staphylococcus aureus</u> - 1 Isolate
Salad Dressing	2	None
Sandwiches	3	<u>Bacillus cereus</u> - 2 Isolates
Sauces	1	None
Sausage	7	<u>Bacillus</u> species - 1 Isolate
Seafood (fresh)	3	None
Seafood (canned)	3	None
Soup	9	None
Vegetables	4	<u>Bacillus cereus</u> - 3 Isolates
TOTAL	79	

TABLE 4: Microbiological Isolates from Baby Food Samples

Item	Number of Samples	Significant Results
Applesauce	4	None
Baby Food, Unidentified	14	None
Banana & Tapioca	2	None
Blueberry Buckle	2	None
Carrots	2	None
Egg Yolk, Strained	7	None
Enfamil*	28	None
Enfamil with Iron*	14	None
Fruit Dessert	2	None
Infant Formula	2	None
Lamb	30	None
Nutramigen Liquid*	8	None
Peaches	2	None
Pears & Pineapple	2	None
Peas, Creamed	2	None
Pineapple - Orange	2	None
Plums & Tapioca	2	None
Prosobec*	1	None
Raspberry Cobbler	2	None
Similac*	5	None
Similac with Iron*	17	None
Spinach, Creamed	6	None
Vegetable & Beef	4	None
Vegetable & Chicken	12	None
Vegetable & Liver	6	None
Vegetable & Turkey	6	None
Vegetables-Mixed, Strained	3	None
TOTAL	187	

*Trade Names

TABLE 5: Microbiological Isolates from Bakery Products

Item	Number of Samples	Significant Results
Apple Pie	4	None
Biscuits	2	None
Cherry Pie	2	None
Chocolate Cream Pie	2	None
Cookie Mix, Oatmeal	26	None
Crackers	1	None
Danish Pastry	6	None
Fig Newtons*	1	None
Hot Dog Buns	1	None
Pastry	1	None
Peach Pie	1	None
Pineapple Pie	1	None
Pumpkin Pie	2	None
Sweetie Pie	<u>3</u>	None
TOTAL	53	

*Trade Names

TABLE 6: Microbiological Isolates from Combat Meals, Canned

Item	Number of Samples	Significant Results
Beans & Franks	3	None
Beans & Meatballs	19	<u>Citrobacter freundii</u> - 1 Isolate
Chocolate Candy	2	<u>Bacillus</u> species - 1 Isolate
Combat Meal	30	<u>Staphylococcus epidermidis</u> - 1 Isolate
Tuna Fish	4	None
Turkey, Boned	<u>4</u>	None
TOTAL	62	

TABLE 7: Microbiological Isolates from Catsup

Item	Number of Samples	Significant Results
Catsup	<u>16</u>	<u>Bacillus subtilis</u> - 1 Isolate
TOTAL	16	

TABLE 8: Microbiological Isolates from Cheese Samples

Item	Number of Samples	Significant Results
Cheddar	9	None
Cheddar, Diced	32	<u>Escherichia coli</u> - 5 Isolates
Cheese	1	None
Cream	6	None
Diced	34	<u>Escherichia coli</u> - 11 Isolates
Feta	6	None
Ricotta	<u>2</u>	None
TOTAL	90	

TABLE 9: Microbiological Isolates from Desserts

Item	Number of Samples	Significant Results
Apple Pecan	1	None
Black Cherry Almond	1	None
California Orange Parfait	1	None
Cream Pie	1	None
Creme	1	None
Pudding, Vanilla	1	None
Raspberry Marble Parfait	<u>1</u>	None
TOTAL	7	

TABLE 10: Microbiological Isolates from Drinks

Item	Number of Samples	Significant Results
Beer	41	None
Coca Cola*	6	None
Coffee	4	None
Fanta*	2	None
Gatorade*	5	None
Grapefruit Juice	6	<u>Penicillium</u> and <u>Aspergillus</u> species - 1 Isolate
Hawaiian Punch*	26	None
Lift*	1	None
Orange & Grapefruit Juice	6	None
Orange Juice	14	<u>Penicillium</u> species - 1 Isolate
Papaya Pineapple Juice	1	None
Pear Nectar Juice	2	None
Pepsi Cola*	2	None
Pineapple Juice	1	None
Seven-Up, Diet*	20	None
Sprite*	2	None
Tomato Juice, Canned	15	<u>Bacillus cereus</u> , <u>Staphylococcus</u> <u>epidermidis</u> , & <u>Corynebacterium</u> species - 6 isolates each
V-8 Juice*	12	None
Wine	4	None
TOTAL	170	

*Trade Names

TABLE 11: Microbiological Isolates from Eggs

Item	Number of Samples	Significant Results
Deviled	<u>2</u>	None
TOTAL	2	

TABLE 12: Microbiological Isolates from Pizza

Item	Number of Samples	Significant Results
Sausage	1	None

TABLE 13: Microbiological Isolates from Fruits

Item	Number of Samples	Significant Results
Apple Pie Filling	6	<u>Bacillus cereus</u> - 3 Isolates
Applesauce	2	None
Blackberries, Canned	3	None
Blueberry Pie Filling	6	None
Cherries, Canned	1	None
Fruit Cocktail, Canned	8	None
Grapefruit & Orange Sections, Canned	6	None
Grapefruit Sections, Canned	6	None
Maraschino Cherry	1	None
Mincemeat, Canned	3	None
Peaches, Canned	9	None
Pineapple, Crushed, Canned	2	None
Pumpkin, Canned	7	None
Pumpkin Pie Filling	6	None
Raisins, Canned	5	<u>Bacillus</u> species - 5 Isolates
Tangelos, Canned	2	None
TOTAL	73	

TABLE 14: Microbiological Isolates from Vegetables

Item	Number of Samples	Significant Results
Asparagus, Canned	4	None
Bean Sprouts, Canned	6	None
Beans	2	None
Beets	3	None
Beets, Canned	1	None
Boston Baked Beans	1	None
Broccoli	2	None
Broccoli Spears, Frozen	1	None
Cabbage	1	None
Carrots	2	None
Carrots, Canned	218	None
Cauliflower	4	None
Chile Green, Whole, Canned	12	None
Corn	1	None
Corn, Canned	2	None
Corn, Creamed, Canned	1	None
Corn Pudding	3	None
Corn, Scalloped	1	None
Eggplant	1	None
French Fried Potatoes	1	None
Green Beans, Canned	34	None
Green Peas, Canned	1	None
Mixed	3	None
Onions, Canned	2	None
Onions, Creamed	1	None
Onions, Spanish	1	None
Peas, Creamed	2	None
Pork & Beans in Tomato Sauce	3	None
Pork & Beans, Canned	2	None
Potatoes	5	None
Potatoes Au Gratin	4	None
Potatoes, Hash Brown	1	None
Potatoes, Mashed	3	None
Potatoes, Scalloped	3	None
Potatoes, Shredded	1	None
Sauerkraut, Canned	35	None
Sauerkraut, Shredded	5	None
Spinach	2	None
Summer Squash	2	None
Sweet Potatoes	1	None
Sweet Potatoes, Canned	2	None
Tomatoes	2	None
Tomatoes, Canned	6	None
Tomatoes, Stewed	1	None
Wax Beans, Canned	6	None
TOTAL	395	

TABLE 15: Microbiological Isolates from Chili

Item	Number of Samples	Significant Results
Chili and Beans, Canned	4	None
Con Carne	1	None
Con Carne and Beans	1	None
Con Carne and Beans, Dehydrated	3	<u>Escherichia coli</u> - 5 Positive
Without Beans	<u>1</u>	None
TOTAL	15	

TABLE 16: Microbiological Isolates from Pet Food

Item	Number of Samples	Significant Results
Cat Food, Canned	1	None
Cat Food, Dry	9	None
Dog Food, Canned	37	<u>Bacillus</u> species isolated, SPC>500/g - 6 samples
Dog Food, Dry	76	None
MSD	<u>12</u>	None
TOTAL	135	

TABLE 17: Microbiological Isolates from Meats, Canned

Item	Number of Samples	Significant Results
Beef & Gravy	2	None
Beef Stew	12	None
Brunswick Stew	9	None
Chili Macaroni	2	None
Corned Beef	1	None
Corned Beef Hash	9	None
Meatballs and Beans in Tomato Sauce	2	None
Sweet & Sour Pork	2	None
Veal and Broth, Canned	<u>2</u>	None
TOTAL	41	

TABLE 18: Microbiological Isolates from Topping

Item	Number of Samples	Significant Results
Dessert	8	None
Dessert, Dehydrated	16	None
Vanilla	<u>1</u>	None
TOTAL	25	

TABLE 19: Microbiological Isolates from Syrup

Item	Number of Samples	Significant Results
Maple Imitation	12	None
Molasses, Canned	<u>3</u>	None
TOTAL	15	

TABLE 20: Microbiological Isolates from Margarine

Item	Number of Samples	Significant Results
Margarine	8	Yeast and Mold - 3 positive
Margarine Patties	<u>1</u>	None
TOTAL	9	

TABLE 21: Microbiological Isolates from Sauces

Item	Number of Samples	Significant Results
BBQ	5	None
Chili	1	Yeast and Mold - 1 Positive
Meat	1	None
Pizza	7	None
Spaghetti and Meat	1	Yeast and Mold - 1 Positive
Tomato	3	None
Tomato Paste	11	Yeast and Mold - 1 Positive
Tomato Spanish Style	6	None
Worcestershire	1	None
TOTAL	36	

TABLE 22: Microbiological Isolates from Salad Dressing

Item	Number of Samples	Significant Results
Blue Cheese	1	None
IMO Dressing*	2	None
Mayonnaise	12	None
Miracle Whip*	1	None
Salad Dressing	16	None
Thousand Island	<u>10</u>	Yeast and Mold - 10 Positive
TOTAL	42	

*Trade Names

TABLE 23: Microbiological Isolates from Soup

Item	Number of Samples	Significant Results
Bean	1	None
Beef	2	None
Beef and Egg Noodle	1	None
Beef and Rice	1	None
Beef Gravy	6	None
Chicken Noodle, Dehydrated	6	None
Cream of Mushroom, Canned	9	None
Creole	1	None
Green Pea	1	SPC 220/g - 1 sample
Knickerbocker	1	None
Minestrone	1	None
Spanish	1	None
Tomato Rice	3	None
Vegetable	<u>1</u>	None
TOTAL	35	

TABLE 24: Microbiological Isolates from Milk and Milk Products

Item	Number of Samples	Significant Results
Butter	6	Yeast and Mold - 5 Positive
Cottage Cheese	3	Coliform - 1 Positive
Cream, Pressurized Can	2	None
Ice Cream Mix	2	Coliform - 1 >600/g
Sour Cream	9	Coliform - 1 Positive, Yeast and Mold - 2 Positive
TOTAL	22	

TABLE 25: Microbiological Isolates from Seafood

Item	Number of Samples	Significant Results
Abalone, Canned	6	None
Clam Chowder	2	None
Clam, Smoked, Canned	6	None
Codfish	3	None
Crabmeat, Frozen	3	None
Fish	3	None
Fish, Baked	1	None
Fish, Baked in Cheese Sauce	1	None
Fish Cake	6	None
Fish, Raw, Frozen	1	None
Flounder Filets	3	None
Flounder Filets, Frozen	3	None
Halibut	6	None
Lobster Tail	3	Coliform - 1 Positive
Oysters, Frozen	15	Coliform - 1 Positive
Oysters, Raw, Frozen	11	None
Oysters, Smoked, Canned	1	None
Perch	3	Coliform - 3 Positive
Salmon	1	None
Salmon Patties	1	None
Sardines, Canned	7	None
Scallops	3	<u>Escherichia coli</u> - 1 Positive
Seafood Newburg	1	<u>Streptococcus faecium</u> - 1 Isolate
Shrimp	3	Coliform - 1 Positive
Shrimp, Canned	19	None
Shrimp, Creole	1	None
Shrimp, Deveined, Small	3	None
Sole Filets, Frozen	1	None
Tuna	2	None
Tuna, Canned	13	None
Turbot Filets	3	Coliform - 2 Positive
TOTAL	135	

TABLE 26: Microbiological Isolates from Miscellaneous Items

Item	Number of Samples	Significant Results
Beans and Franks	2	None
Beans and Franks, Canned	2	None
Beans and Meatballs	10	None
Beef-O-Getti*	3	None
Beefaroni*	2	None
Beer Nuts	2	None
Candy (Baby Ruth*)	16	None
Chili Powder	9	None
Chicken and Dumplings	2	None
Chop Suey Pork	2	None
Cloves, Ground	1	None
Corn Bread Dressing	1	None
Flour	2	None
Franks and Cheese	1	None
Gravy	4	None
Gravy Base	5	None
Gravy, Vegetable	3	None
Ground Beef and Dumplings	2	None
Ham and Lima Beans, Canned	4	None
Honey	1	None
Jalapenos	1	None
Jam, Peach	5	None
Jelly, Apple	7	None
Lasagne	1	None
Lasagne, Baked	1	None
Lasagne, Canned	3	Coliforms - 1 Positive
Lemon Pudding & Pie Filling	2	None
Liver and Onions	1	None
Macaroni and Cheese	5	None
Macaroni, Baked	1	None
Meat Loaf	3	<u>Escherichia coli</u> - 3 Positive
Meat Loaf, Raw	5	<u>Escherichia coli</u> - 2 Positive
Meat Balls	5	<u>Escherichia coli</u> - 1 Positive
Meat Balls in Tomato Sauce	2	None
Mezzo Mix*	1	None
Mushrooms	13	None
Mushrooms, Canned	54	<u>Clostridium</u> species - 3 Isolated
Mustard	12	None
Olive, Green	6	None
Olives, Ripe	3	None
Pancake Batter	1	None
Peppers, Hot	6	None
Peppers, Sweet	1	None
Peppers, Sweet, Red	3	None
Ribs and Sauerkraut	2	None
Rice Pilaf	1	None
Sloppy Joe Mix*	15	None
Snails	3	None

TABLE 26: Microbiological Isolates from Miscellaneous Items (Cont)

Item	Number of Samples	Significant Results
Soup and Gravy Base - Ham Flavor	6	None
Spaghetti and Beef	5	Coliform - 1 Positive
Spaghetti and Meat Sauce	1	None
Spanish Rice	1	None
Starch	5	None
Sugar	7	None
Sugar, Granulated	1	None
Vinegar	19	Yeast and Mold - 1 Positive
Vinegar - Apple Cider	6	None
TOTAL	288	

*Trade Names

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										Yeast and Mold/g										E. coli							
	N		3-		21-		41-		61-		81-		N		3-		21-		41-		61-		81-		N		3-		21-			41-		61-		81-		
	<3	20	40	60	80	100	>100	<3	20	40	60	80	100	>100	<3	20	40	60	80	100	>100	<3	20	40	60	80	100	>100	<3	20		40	60	80	100	>100		
INFLIGHT MEALS																																						
B30 Chicken	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Beans	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Meat	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Potatoes	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Beef Burgundy	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Meat	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Noodles	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Beef Steak	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Green Beans	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Meat	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Noodles	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Beef Tenderloin	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Beef Composite	2	0	2	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2	
Beef	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Vegetable	4	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4		
Cheese Omelet	4	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4		
Eggs	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4			
Ham	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Hash Browns	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Chicken Armagnac	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
Carrots	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Vacaroni	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
Meat	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
Peas	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Chicken, Sliced	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Chicken	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Corn	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Meat	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Potatoes	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Coq Au Vin	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Green Beans	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested		
Meat	2	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Rice	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Egg Omelet	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested		
Eggs	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Ham	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Potatoes	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Egg	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Potatoes	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Sausage	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
French Toast	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Apples	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Sausage	2	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Toast	2	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches
(Continued)

FOOD ITEM	N	Aerobic Plate Count 1000/g							Coliforms/g							Yeast and Mold/g							E. coli				
		<3	3-20	21-40	41-60	61-80	81-100	>100	N	<3	3-20	21-40	41-60	61-80	81-100	>100	N	<3	3-20	21-40	41-60	61-80	81-100	>100	POS	NEG	
INFLIGHT MEALS																											
Ginger Beef																											
Meat	2	0	0	1	0	0	0	1	0		Not Tested								Not Tested						1	1	
Peas & Sprouts	1	0	0	0	0	0	0	1	0		Not Tested								Not Tested						0	1	
Rice	2	0	0	0	0	0	0	2	0		Not Tested								Not Tested						1	1	
Vegetable	1	0	0	0	0	0	1	0	0		Not Tested								Not Tested						0	1	
Ham and Eggs																											
Eggs	2	1	0	0	0	1	0	0	2	2	0	0	0	0	0	0	0		Not Tested						0	2	
Ham	2	0	2	0	0	0	0	0	2	2	0	0	0	0	0	0	0		Not Tested						0	2	
Potatoes	2	1	1	0	0	0	0	0	2	2	0	0	0	0	0	0	0		Not Tested						0	2	
Pancakes																											
Apples	6	4	0	0	0	1	0	1	0		Not Tested								Not Tested						0	6	
Meat	7	6	0	1	0	0	0	0	0		Not Tested								Not Tested						0	7	
Pancakes	7	4	1	0	0	0	1	1	0		Not Tested								Not Tested						0	7	
Roast Beef Sandwich	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0		Not Tested						1	0	
Scrambled Eggs																											
Eggs	3	2	1	0	0	0	0	0	0		Not Tested								Not Tested						0	3	
Meat	3	0	2	0	1	0	0	0	0		Not Tested								Not Tested						0	3	
Potatoes	3	3	0	0	0	0	0	0	0		Not Tested								Not Tested						0	3	
Sirloin Butt																											
Green Beans	1	0	0	0	0	0	0	1	0		Not Tested								Not Tested						0	1	
Meat	2	0	0	0	0	0	0	2	0		Not Tested								Not Tested						0	2	
Potatoes	2	0	0	0	0	0	0	2	0		Not Tested								Not Tested						0	2	
Waffles and Sausage																											
Meat	2	0	1	1	0	0	0	0	0		Not Tested								Not Tested						0	2	
Waffle	2	0	2	0	0	0	0	0	0		Not Tested								Not Tested						0	2	
LUNCHEON MEATS																											
Luncheon Meats, Canned	6	Negative for Pathogens																									
Pickle & Pimiento Loaf	1	Negative for Pathogens																									
POULTRY																											
BBQ Chicken	3	2	1	0	0	0	0	0	3	3	0	0	0	0	0	0	0	0	2	1	0	0	0	1	0	2	
Chicken	4	2	1	0	1	0	0	0	4	3	0	0	0	0	0	1	0		Not Tested						0	1	
Chicken and Noodles	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0		Not Tested						Not Tested	Not Tested	
Chicken, Baked	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0		Not Tested						Not Tested	Not Tested	
Chicken, Boned, Canned	3	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0		Not Tested						Not Tested	Not Tested	
Chicken Breast	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0		Not Tested						Not Tested	Not Tested	
Chicken, Cacciatore	0								1	1	0	0	0	0	0	0	0		Not Tested						0	1	
Chicken Drumsticks	3	0	1	2	0	0	0	0	3	0	1	0	0	0	0	0	2		Not Tested						Not Tested	Not Tested	
Chicken, Fried	4	3	1	0	0	0	0	0	5	5	0	0	0	0	0	0	0		Not Tested						Not Tested	Not Tested	
Chicken Fryers, Raw	2	0	1	1	0	0	0	0	2	1	1	0	0	0	0	0	0		Not Tested						1	0	
Chicken Parts, Frozen	0								0										Not Tested						Not Tested	Not Tested	

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches
(Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										Yeast and Mold/g										E. coli																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	N		3-20		21-40		41-60		61-80		81-100		101-200		201-400		401-800		801-1600		1601-3200		3201-6400		6401-12800		12801-25600		25601-51200		POS	NEG																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	POULTRY (Cont)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
PRECOOKED FROZEN MEALS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Chicken Thighs	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										Yeast and Mold/g										E. coli				
	N	3-		21-		41-		61-		81-		N	3-		21-		41-		61-		81-		N	3-		21-		41-		61-		81-		POS	NEG
		<3	20	40	60	80	100	>100	<3	20	40		60	80	100	>100	<3	20	40	60	80	100		>100	<3	20	40	60	80	100	>100				
PRECOOKED FROZEN MEALS (Cont)																																			
Boneless Chicken Dinner	1	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1		
Butt Steak, Composite	2	2	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested			
Chicken A la Supreme	1	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	Not Tested			
Chicken Armagnac	3	1	0	0	2	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	3		
Meat	3	0	1	0	0	0	0	0	0	0	0	1	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	3		
Noodles	3	0	1	0	0	0	0	0	0	0	0	1	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	3		
Vegetables	2	0	0	0	0	0	0	0	0	0	0	1	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	2		
Chicken Breast	2	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	2		
Composite	2	2	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	Not Tested		
Chicken Marengo	2	0	2	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested		
Composite	5	5	0	0	0	0	0	0	0	0	0	5	5	0	0	0	0	0	0	0	0	0	5	5	0	0	0	0	0	0	0	0	0	Not Tested	
Green Beans	1	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	1		
Meat	2	1	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	2		
Rice	2	0	1	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	1		
Vegetable	1	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	1		
Coq Au Vin	3	1	0	0	1	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	2		
Meat	3	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	1		
Rice	3	0	1	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	2		
Vegetable	3	0	1	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	3		
Egg Omelet	1	1	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	1		
Apples	8	5	1	0	0	0	0	0	0	0	0	1	7	0	0	0	0	0	0	0	0	0	4	4	0	0	0	0	0	0	0	0	1	2	
Composite	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Eggs	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested		
Pancake	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Sausage	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
French Toast	3	3	0	0	0	0	0	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0	1	
Composite	2	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Meat	2	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Toast	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Haddock, Composite	1	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	
Ham and Eggs	2	1	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	0	2	
Apples	1	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	0	1	
Ham	1	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	0	2	
Italian Style Dinner	2	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	0	1	
Vegetables	1	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2	
Mexican Style Dinner	4	3	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
Pancakes	2	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Meat	2	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	
Pork Loin, Composite	1	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	
Pot Roast	1	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	
Bread	1	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										Yeast and Mold/g										E. coli		
	N	3-		21-	41-	61-	81-	N	3-		21-	41-	61-	81-	N	3-		21-	41-	61-	81-	N	3-		21-	41-	61-	81-	100	>100	POS	NEG	
		<3	20	40	60	80	100		<3	20	40	60	80	100		>100	<3	20	40	60	80		100	>100									
PRECOOKED FROZEN MEALS (Cont.)																																	
Pot Roast (Cont)																																	
Cornbread	1	0	0	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0			Not Tested					0	1		
Gravy	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0		Not Tested							Not Tested					Not Tested				
Meat	2	0	0	0	0	0	2	1	1	0	0	0	0	0	0		Not Tested					0		Not Tested					0	1			
Vegetable	1	0	1	0	0	0	0	0	1	0	0	0	0	0	0		Not Tested					0		Not Tested					0	1			
Salisbury Steak																																	
Carrots	1	1	0	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0		Not Tested					0	1			
Composite	6	3	2	0	0	0	0	1	6	0	0	0	0	0	0	3		0	0	0	0	0		Not Tested					0	6			
Gravy	2	2	0	0	0	0	0	0	2	2	0	0	0	0	0	0		Not Tested				0		Not Tested					0	1			
Meat	1	1	0	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0		Not Tested					0	1			
Potatoes	1	0	1	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0		Not Tested					0	1			
Scrambled Eggs																																	
Eggs	9	3	0	1	1	0	1	3	5	5	0	0	0	0	0	0		Not Tested				0		Not Tested					0	5			
Meat	9	5	2	1	0	0	0	1	5	5	0	0	0	0	0	0		Not Tested				0		Not Tested					1	4			
Potatoes	7	6	0	0	0	0	0	1	4	4	0	0	0	0	0	0		Not Tested				0		Not Tested					0	4			
Starch	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0		Not Tested				0		Not Tested					0	4			
Swiss Steak																																	
Composite	1	0	1	0	0	0	0	0	1	1	0	0	0	0	0	0	1		0	0	0	0	0	0	0	0	0	0	0	1	1		
Meat	4	4	0	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0		Not Tested					0	4			
Peas and Carrots	4	4	0	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0		Not Tested					0	4			
Potatoes	4	4	0	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0		Not Tested					0	4			
Tuna Noodle Casserole	2	1	1	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0		Not Tested					0	1			
Turkey Dinner	8	0	4	0	0	0	0	4	8	4	0	4	0	0	0	4		0	0	0	0	0	0	0	0	0	0	0	0	4			
Veal Parmigiana																																	
Composite	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0		Not Tested				0		Not Tested					0	1			
Waffles and Sausage																																	
Composite	1	1	0	0	0	0	0	0	0	0	Not Tested			0			Not Tested					0		Not Tested					1	0			
Meat	3	2	1	0	0	0	0	0	2	2	0	0	0	0	0	0		Not Tested				0		Not Tested					0	1			
Waffle	3	2	0	0	0	0	0	0	2	2	0	0	0	0	0	0		Not Tested				0		Not Tested					0	1			
Waffles, Composite	1	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1		0	0	0	0	0	0	0	0	0	0	0	1			
SALADS																																	
Avocado	7	4	1	0	0	0	0	1	7	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6		
Banana Jello	4	4	0	0	0	0	0	0	4	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
BBQ Chicken	4	2	2	0	0	0	0	0	4	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Bean	4	3	1	0	0	0	0	0	4	3	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	4		
Carrot	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Carrot and Raisin	16	3	2	1	1	1	1	7	22	19	1	0	0	0	0	0	2	1	3	1	4	2	0	1	10	0	0	0	0	21	5		
Cherry Jello	11	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5		
Chicken	69	36	15	1	2	2	2	11	69	53	7	3	1	1	3	1	3	1	6	3	0	0	0	0	0	0	0	0	0	2	46		
Chicken, Chunky	6	2	2	1	0	0	0	1	6	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0		
Cole Slaw	128	35	48	10	6	4	2	23	127	112	7	2	1	0	0	2	3	109	60	21	11	2	2	1	12	3	87	0	0	0	5		
Cranberry & Pineapple	22	22	0	0	0	0	0	0	22	22	0	0	0	0	0	0	0	5	4	1	0	0	0	0	0	0	0	0	0	0	0	5	

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches
(Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										Yeast and Mold/g										E. coli					
	N		3-20		21-40		41-60		61-80		81-100		100 >100		N		3-20		21-40		41-60		61-80		81-100		100 >100		POS		NEG					
	SALADS (Cont.)																																			
Cream Cheese	3	2	1	0	0	0	0	0	0	0	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Cream Dessert	2	1	0	0	0	0	0	0	1	2	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
Egg	34	6	5	3	3	2	12	37	22	6	1	0	3	2	3	20	9	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	15	
Fruit	3	2	0	0	0	0	0	1	13	13	0	0	0	0	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Fruit Cocktail	13	13	0	0	0	0	0	0	8	8	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Fruit Cocktail Jello	8	7	0	1	0	0	0	0	3	3	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3
Fruit Gelatin	3	3	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Fruit Treat	1	1	0	0	0	0	0	0	26	26	0	0	0	0	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	7
Golden Glow	26	24	2	0	0	0	0	0	1	1	0	0	0	0	51	12	16	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	34	34	
Ham	53	28	15	2	2	1	2	3	53	47	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Ham and Cheese	2	2	0	0	0	0	0	0	2	2	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Hot Pimiento Cheese	2	2	0	0	0	0	0	0	2	2	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Jello	7	6	0	0	0	0	0	1	7	7	0	0	0	0	3	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3
Kidney Bean	0																																			
Lemon Marble Parfait	1	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Macaroni	180	75	44	12	4	3	5	37	176	164	1	0	0	0	159	75	42	5	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	153	153	
Macaroni and Egg	8	2	1	1	0	0	1	3	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	
Macaroni and Tuna	5	3	1	0	0	0	0	0	1	5	5	0	0	0	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	5	
Mandarin	1	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Melba Jello	18	17	1	0	0	0	0	0	18	18	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Orange Pineapple	22	20	2	0	0	0	0	0	22	22	0	0	0	0	5	5	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	5	
Parfait	1	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Peach Jello	1	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Pear Jello	20	20	0	0	0	0	0	0	20	18	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Perfection	24	23	1	0	0	0	0	0	24	24	0	0	0	0	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	7	
Pimiento	2	2	0	0	0	0	0	0	2	2	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	
Pimiento Cheese	15	14	1	0	0	0	0	0	15	14	0	0	0	0	14	1	3	2	3	2	3	2	3	2	3	2	3	2	3	2	3	2	3	2	13	13
Pineapple	18	17	1	0	0	0	0	0	18	18	0	0	0	0	4	4	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	4	
Pineapple Pear Jello	4	4	0	0	0	0	0	0	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Pineapple Pear Banana	284	115	68	20	13	10	8	50	282	262	9	2	0	1	240	105	51	24	9	14	3	34	3	34	3	34	3	34	3	34	3	34	3	11	220	
Potato	7	2	0	0	0	0	0	2	7	6	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Potato Egg	2	0	0	0	0	0	0	2	2	2	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Roast Beef	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Salad Mix	25	25	0	0	0	0	0	0	25	24	1	0	0	0	7	5	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	4
Spiced Cherry Jello	19	17	1	0	0	0	0	1	19	19	0	0	0	0	4	4	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Spiced Peach	1	0	1	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Strawberry Parfait	1	0	1	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Strawberry Pineapple	10	10	0	0	0	0	0	0	10	10	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Strawberry Pineapple	7	6	0	1	0	0	0	0	7	7	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Banana	1	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Sweet and Sour Bean	1	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Three Bean	2	2	0	0	0	0	0	0	2	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
Tropical Delight	4	4	0	0	0	0	0	0	4	3	0	0	0	0	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	
Tropical Parfait	1	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
Tuna	38	22	9	4	1	1	0	1	41	30	5	2	2	2	22	6	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	20	

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meals, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches
(Continued)

FOOD ITEM	Aerobic Plate Count/g								Coliforms/g								Yeast and Mold/g								E. coli			
	N	<3	3-20	21-40	41-60	61-80	81-100	>100	N	<3	3-20	21-40	41-60	61-80	81-100	>100	N	<3	3-20	21-40	41-60	61-80	81-100	>100	POS	NEG		
SALADS (Cont.)																												
Tuna and Macaroni	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	Not Tested	0	1
Turkey	4	3	1	0	0	0	0	0	4	4	0	0	0	0	0	0	3	0	0	1	0	0	0	0	2	0	3	
Waldorf	3	3	0	0	0	0	0	0	3	3	0	0	0	0	0	0	3	2	1	0	0	0	0	0	0	0	2	
SANWICH SPREADS																												
Cheddar	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	Not Tested	0	1
Cheese	1	0	1	0	0	0	0	0	1	0	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	Not Tested	0	1
Cheese and Pickle	2	1	1	0	0	0	0	0	2	2	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0	0	0	1
Chicken	3	1	0	0	1	1	0	0	3	3	0	0	0	0	0	0	3	2	1	0	0	0	0	0	0	0	0	1
Chicken Salad	6	5	1	0	0	0	0	0	6	5	1	0	0	0	0	0	6	6	0	0	0	0	0	0	0	0	5	0
Chunky Pimiento	4	4	0	0	0	0	0	0	4	4	0	0	0	0	0	0	4	4	0	0	0	0	0	0	0	0	0	5
Ham	2	0	2	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	2
Ham Salad	7	2	3	0	0	0	0	2	5	5	0	0	0	0	0	0	7	6	0	0	0	0	0	1	0	4	0	
Jalapeno	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	1	
Pimiento	27	23	4	0	0	0	0	0	26	23	2	0	1	0	0	0	28	13	10	2	1	0	0	2	0	15	0	
Pimiento and Jalapeno																												
Peppers	1	1	0	0	0	0	0	0	2	2	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	Not Tested	0	1
Pimiento Cheddar	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	Not Tested	0	1
Pimiento Cheese	11	10	1	0	0	0	0	0	10	10	0	0	0	0	0	0	11	0	2	1	0	1	1	6	0	16	0	
Pimiento, Hot	5	3	2	0	0	0	0	0	5	4	0	0	1	0	0	0	5	2	2	0	0	0	0	1	2	4	0	
Sandwich Spread	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	Not Tested	0	1
Tuna Salad	3	2	1	0	0	0	0	0	2	1	1	0	0	0	0	0	2	1	0	0	0	0	0	1	0	2	0	
SANWICHES																												
Amega	3	0	0	0	0	0	0	3	3	0	0	0	0	0	0	0	3	0	0	1	0	0	0	2	0	3	0	
BLT	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	1	0	1	
Bacon and Egg	2	0	1	0	0	0	0	1	2	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	
BBQ	4	4	0	0	0	0	0	0	4	4	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	1	0	
BBQ Beef	8	4	2	1	0	0	0	1	12	7	2	0	1	0	1	1	2	0	1	0	1	0	0	0	4	6	0	
Beef Taco	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	2	2	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	2	
Beef Burger	8	4	3	0	0	0	0	1	7	4	1	0	1	0	0	1	8	4	2	0	0	1	0	1	1	7	0	
Bologna	4	3	0	0	0	0	0	1	3	3	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	3	16	
Bologna and Cheese	16	5	7	0	0	1	0	3	19	14	2	1	0	0	1	1	4	1	2	0	0	0	1	0	3	16	0	
Bun	3	1	1	0	0	0	0	1	3	3	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	
Canadian Bacon & Eggs	4	0	0	0	0	1	0	3	4	0	1	0	0	0	0	3	3	1	0	0	0	0	2	0	3	0		
Char-Broil	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	1	1	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	
Cheese	4	2	2	0	0	0	0	0	4	4	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	
Cheese & Bean Taco	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	4	4	0	0	0	0	0	0	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0	
Cheeseburger	9	2	5	2	0	0	0	0	10	10	0	0	0	0	0	0	9	3	6	0	0	0	0	0	0	8	0	
Chili Dog	6	2	2	1	0	0	0	1	7	4	1	0	0	0	0	2	5	1	0	1	0	1	0	2	1	4	0	
Chili Meat Taco	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	1	1	0	0	0	0	0	0	2	1	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	0
Chiliburger	2	0	1	0	0	0	0	1	1	1	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0	1	0	

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										Yeast and Mold/g										E. coli		
	N	<3	3-	20	40	60	80	100	>100	N	<3	3-	20	40	60	80	100	>100	N	<3	3-	20	40	60	80	100	>100	POS	NEG				
SANDWICHES (Cont.)																																	
Chicken	4	4	0	0	0	0	0	0	0	0	4	4	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	4			
Chicken Fried Patty	1	1	0	0	0	0	0	0	0	0	3	3	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	3			
Chicken Fried Steak	4	4	0	0	0	0	0	0	0	0	3	3	0	0	0	0	0	0	0	0	3	2	1	0	0	0	0	0	0	3			
Chicken Salad	14	12	1	0	0	1	0	0	0	0	14	13	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	12			
Chicken, Sliced	2	0	1	0	1	0	0	0	0	0	2	0	1	0	0	0	1	0	0	0	2	0	1	0	0	0	0	1	0	1			
Chopped Chicken	1	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1			
Chuckwagon	5	2	2	0	0	0	0	0	1	3	3	2	0	1	0	0	0	0	0	0	4	0	2	1	0	0	0	1	0	3			
Corn Dog	5	1	3	0	0	0	0	0	1	5	5	0	0	0	0	0	0	0	0	0	5	4	0	1	0	0	0	0	0	0	5		
Early Bird Muffin	1	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Egg	5	3	0	0	0	1	0	0	1	0	5	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Egg and Sausage	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	2	2	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	
Egg and Sausage Taco	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Egg Salad	2	0	0	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	
Parm Boy	2	1	0	0	0	1	0	0	0	0	2	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	
Fish	3	1	1	0	0	1	0	0	0	0	3	2	1	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	
Fish and Cheese	1	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Grilled Cheese	1	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ham	20	7	2	0	0	0	0	0	0	17	11	4	2	0	0	0	0	0	0	0	0	3	2	4	1	1	0	1	0	10	0	10	
Ham and Cheese	24	10	5	1	0	1	1	6	3	35	26	8	0	0	0	0	0	0	0	1	10	2	7	0	0	0	1	0	0	6	27	0	
Ham & Cheese on Rye	2	1	1	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
Ham and Egg	8	1	1	1	1	0	0	0	3	7	2	0	1	0	0	0	0	0	0	1	8	2	2	0	0	0	1	3	2	3	0	3	
Ham and Swiss Cheese	0	0	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
on Rye	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ham, Lettuce & Tomato	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ham on Rye	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ham Salad	10	7	2	0	0	0	0	0	0	10	9	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	2	0	
Ham, Sliced	4	0	1	0	0	1	0	2	0	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Hamburger	10	4	4	0	0	0	0	0	0	7	7	0	0	0	0	0	0	0	0	0	4	4	2	0	0	0	0	0	0	0	0	0	0
Hoagie	8	1	3	0	1	0	0	0	0	7	6	1	0	0	0	0	0	0	0	0	10	4	2	0	0	0	0	0	0	0	0	0	0
Hot Dog	3	0	1	1	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	0	0	0	0	0
Meat Loaf	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	3	2	0	0	0	0	0	0	0	0	0	0	0
Muffin Egg Delight	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
Pimiento Cheese	3	0	1	0	0	0	0	0	2	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Polish Sausage	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0
Polish Sausage Taco	18	4	8	0	0	0	0	0	6	17	14	1	0	0	0	0	0	0	0	0	7	1	2	1	2	0	0	1	1	14	0	1	
Poor Boy	1	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pork	1	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
Pancho	2	1	1	0	0	0	0	0	0	8	8	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
Peuben	5	1	1	0	0	0	0	0	3	5	1	2	0	0	0	0	0	0	0	0	5	3	0	1	0	0	0	1	2	3	0	6	0
Roast Beef	14	5	5	0	0	1	0	3	3	19	15	1	1	1	1	0	0	0	0	1	3	0	1	0	0	0	0	1	2	3	0	16	0
Roast Beef and Ham	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
and Cheese	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Roast Beef and Smoked	2	0	0	1	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0
Ham and Cheese	2	0	0	0	0	1	0	0	1	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Roast Pork	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 27: Microbiological Results of Analyzing Inflight Meals, Luncheon Meats, Poultry, Precooked Frozen Meals, Salads, Sandwich Spreads, and Sandwiches
(Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										Yeast and Mold/g										E. coli			
	N		3-		21-		41-		61-		81-		100		>100		N		3-		21-		41-		61-		81-		100		>100		POS	NEG
	SANDWICHES (Cont)																																	
Salami	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Salami and Cheese	10	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	13
Sausage and Biscuit	8	5	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Sausage and Egg	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Sausage and Egg Taco	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sausage Dog	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sausage Dog	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Servoburger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Servoburger and Cheese	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sloppy Joe	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Spiced Ham and Cheese	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stacked Beef and	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BBQ Sauce	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Steak	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Steak and Onion	3	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Submarine	6	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Super Cheeseburger	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Super Dagwood	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Super Dog	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Super Gizmo	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Super Hoagie	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Super Submarine	7	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Torpedo	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tuna	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tuna Salad	10	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Turkey	5	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Turkey and Dressing	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Twin Cheeseburger	5	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Veal Burgers	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Veal Streak	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 28: Microbiological Results of Analyzing Beef, Pork, and Sausage

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										F. coli		SIGNIFICANT RESULTS										
	N		3- 20		21- 40		41- 60		61- 80		81- 100		>100		N		3- 20		21- 40		41- 60			61- 80		81- 100		>100		POS	NEG		
BEEF																																	
BBQ Beef	2	2	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None			
BBQ Spare Ribs & Sauce	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None			
Beef and Egg Noodles	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None			
Beef, Braised	2	1	1	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None			
Boneless Shank	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	None		
Carcass	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	Not Tested	None			
Carcass Trim	5	0	0	0	0	0	0	0	0	0	0	0	0	0	3	5	1	3	0	0	0	0	0	0	0	0	0	0	1	Not Tested	None		
Coarse Ground	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None			
Corned Beef	8	5	2	0	0	0	0	0	0	0	0	0	0	0	1	7	4	1	1	0	0	0	0	0	0	0	0	0	0	1	0	None	<i>Klebsiella pneumoniae</i> - 1 isolate
Creamed Beef	5	2	1	1	0	0	0	0	0	0	0	0	0	0	5	4	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None	<i>Bacillus</i> species - 1 isolate		
Cubes	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None	Aerobic Plate Count - 1 spreader		
Diced	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	1	0	0	0	0	0	0	0	0	0	Not Tested	None	Pathogens - 1 Positive		
Extra Lean, Ground, Frozen	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None	<i>Serratia liquefaciens</i> - 1 isolate		
Ground and Added Soya	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	Not Tested	None	<i>Staphylococcus aureus</i> - 1 isolate	
Ground Steak	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	None	<i>Pseudomonas</i> species - 1 isolate
Ground Veal, Frozen	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None		
Hamburger	82	16	24	9	4	4	2	23	81	28	27	5	1	2	0	18	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	Pathogens - 2 isolates	
Hamburger, Frozen	163	0	3	5	2	0	2	151	161	14	8	5	7	5	2	120	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	<i>Pseudomonas fluorescens</i> - 1 isolate	
Hamburger Patties	23	0	0	1	0	0	0	0	0	0	0	0	0	0	1	20	0	0	0	0	0	0	0	0	0	0	0	0	18	Not Tested	None	<i>Pseudomonas</i> species - 1 isolate	
Hamburger Patties, Frozen	13	0	1	0	1	3	0	8	13	0	3	2	1	0	0	7	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	None	Yeast and Molds - 3 isolates
Jerky	3	0	2	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None	<i>Citrobacter freundii</i> - 1 isolate		
Lean Ground	156	0	4	2	2	2	4	142	119	10	13	10	3	1	3	79	4	6	0	0	0	0	0	0	0	0	0	0	0	0	0	None	<i>Enterobacter hafniae</i> - 2 isolates
Lean, Ground, Frozen	93	2	3	5	0	4	1	78	85	10	9	4	2	2	2	56	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	Not Tested	None	<i>Serratia liquefaciens</i> - 1 isolate	
Minute Steak	3	0	0	2	1	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	<i>Staphylococcus aureus</i> - 1 isolate	
Minute Steak, Frozen	4	0	0	0	0	0	0	1	3	4	0	1	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	None	<i>Staphylococcus aureus</i> - 1 isolate
Patties	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	None	<i>Staphylococcus aureus</i> - 1 isolate
Patties, Frozen	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	None	<i>Staphylococcus aureus</i> - 1 isolate
Pepper Steak	2	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	<i>Aeromonas hydrophila</i> - 1 isolate
Pot Roast	1	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	<i>Staphylococcus aureus</i> - 6 isolates
Roast	7	3	2	0	1	0	0	0	0	0	0	0	0	0	7	5	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None	<i>Staphylococcus aureus</i> - 1 isolate	
Salisbury Steak	10	2	1	1	0	0	0	0	0	0	0	0	0	0	4	10	2	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	<i>Staphylococcus aureus</i> - 2 isolates
Steak	4	0	1	1	0	0	0	1	1	4	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Not Tested	None	Aerobic Plate Count - 1 spreader	
																															0	1	Aerobic Plate Count - 2 isolates
																																	Aerobic Plate Count - 2 spreaders
																																	<i>Staphylococcus aureus</i> - 2 isolates
																																	Fecal streptococci - 1 isolate

TABLE 28: Microbiological Results of Analyzing Beef, Pork, and Sausage (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										F. coli		SIGNIFICANT RESULTS		
	N	3-		21-		41-		61-		81-		N	<3		3-		21-		41-		61-			POS	NEG
		<3	20	40	60	80	100	>100	<3	20	40		60	80	100	>100	<3	20	40	60	80	100			
BEEF (Cont)																									
Steak and Onions	1	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	None
Stew Meat	19	0	5	2	2	1	1	1	8	20	4	2	1	1	1	2	0	0	0	0	10	Not Tested	Not Tested	None	
Stew Meat, Frozen	17	0	3	5	1	1	0	7	17	6	2	0	2	1	1	0	6	Not Tested	Not Tested	None	None	None	None	None	
Swiss Steak	13	3	2	1	0	1	1	5	14	4	3	1	1	0	0	1	0	0	5	Not Tested	Not Tested	None	None	None	
Swiss Steak, Frozen	3	0	0	1	0	0	0	2	3	1	1	0	0	0	0	0	1	Not Tested	Not Tested	None	None	None	None	None	
Veal	1	0	1	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	None	None	
Veal Burger	4	1	0	0	0	0	0	3	3	0	0	0	0	0	0	1	2	Not Tested	Not Tested	None	None	None	None	None	
Veal Loaf	2	0	0	0	0	0	1	1	1	2	0	0	0	0	0	0	0	2	Not Tested	Not Tested	None	None	None	None	
Veal Loaf and Gravy	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	None	None	
Veal Loaf, Fresh	1	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	1	1	0	Yeast and Mold - 1 isolate	Yeast and Mold - 1 isolate	
APC 100,000/g																									
Chili Meat	16	2	6	1	1	0	0	0	6	16	9	2	0	0	0	0	0	0	1	4	Not Tested	Not Tested	None	None	None
Chili Meat, Frozen	22	7	6	2	0	0	0	7	21	5	7	2	1	1	1	1	4	1	0	Not Tested	Not Tested	None	None	None	
Cube Steak	46	28	11	1	0	0	0	6	46	34	6	1	2	0	1	2	Not Tested	Not Tested	None	None	None	None	None	None	
Cube Steak, Frozen	74	41	22	2	1	2	1	5	71	54	9	2	0	0	1	0	5	Not Tested	Not Tested	None	None	None	None	None	
Extra Lean, Ground	10	5	3	1	0	0	0	1	10	10	0	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	None	None	
Ground	224	30	84	39	14	9	7	41	180	84	43	10	4	3	0	3	0	36	15	9	Bacillus species - 1 isolate Enterobacter hafniae - 1 isolate Serratia liquefaciens - 1 isolate	None	None	None	
Ground Chuck	25	6	5	5	0	0	2	7	22	8	6	2	1	1	1	0	4	2	2	Not Tested	Not Tested	None	None	None	
Ground Chuck, Frozen	24	5	7	2	2	0	0	8	23	9	6	1	2	0	0	0	5	Not Tested	Not Tested	None	None	None	None	None	
Ground, Frozen	244	67	90	15	11	12	3	46	235	113	39	14	12	7	5	45	1	6	Not Tested	Not Tested	None	None	None	None	
Ground Patties	10	2	2	0	0	3	0	3	4	0	0	0	0	0	0	0	4	0	2	2	Not Tested	Not Tested	None	None	
Ground Patties, Frozen	11	2	5	1	0	1	0	2	10	3	4	0	0	0	0	0	3	2	2	Not Tested	Not Tested	None	None	None	
Ground Round	29	8	12	2	0	0	0	7	28	14	6	2	2	1	0	3	2	1	Not Tested	Not Tested	None	None	None	None	
Ground Round, Frozen	42	19	15	1	0	1	2	4	40	26	7	2	0	0	0	5	Not Tested	Not Tested	None	None	None	None	None	None	
PORK																									
APC 1000/g																									
Bacon	2	2	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	None	None	None
Chops	3	2	0	0	0	0	0	1	3	3	0	0	0	0	0	0	0	0	0	Not Tested	Not Tested	None	None	Pathogens Negative	

TABLE 28: Microbiological Results of Analyzing Beef, Pork, and Sausage (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										<i>E. coli</i>		SIGNIFICANT RESULTS	
	N					N					N					N					POS	NEG		
	<3	20	40	21-40	61-80	81-100	>100	<3	20	40	21-40	61-80	81-100	>100	<3	20	40	21-40	61-80	81-100				>100
POPK (Cont)																								
Ground	23	0	0	0	0	0	0	23	22	0	2	0	1	1	1	17	19	13	Aerobacter calcoaceticus - 1 isolate Aeromonas hydrophila - 2 isolates Clostridium perfringens - 9 isolates Citrobacter freundii - 3 isolates Diphtheroids - 1 isolate Enterobacter aerogenes - 2 isolates Enterobacter cloacae - 8 isolates Enterobacter hafniae - 9 isolates Fecal streptococci - 21 isolates Micrococcus species - 4 isolates Proteus mirabilis - 2 isolates Proteus vulgaris - 4 isolates Salmonella enteritidis - 1 isolate Salmonella species - 2 isolates Salmonella enteritidis ser. Saintpaul - 1 isolate Serratia liquefaciens - 2 isolates Serratia marcescens - 1 isolate Staphylococcus aureus - 5 isolates Staphylococcus epidermidis - 8 isolates Streptococcus bovis - 1 isolate Streptococcus durus - 1 isolate Streptococcus faecalis - 4 isolates Streptococcus faecalis var. liquefaciens - 5 isolates Streptococcus faecalis var. zymogenes - 1 isolate Streptococcus lactis - 2 isolates Streptococcus mitis - 1 isolate Streptococcus sanguis - 2 isolates Yersinia enterocolitica - 1 isolate Clostridium perfringens - 2 isolates Enterobacter cloacae - 1 isolate Fecal streptococci - 2 isolates Micrococcus species - 1 isolate Proteus mirabilis - 1 isolate Staphylococcus aureus - 1 isolate Staphylococcus epidermidis - 1 isolate Streptococcus faecalis - 1 isolate Streptococcus faecalis var. zymogenes - 1 isolate None					
Ground, Frozen	2	0	1	0	0	0	0	1	2	1	0	0	0	0	0	1	1	2						
Ham	3	1	2	0	0	0	0	0	3	3	0	0	0	0	0	0	0	1						

TABLE 28: Microbiological Results of Analyzing Beef, Pork, and Sausage (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g										F. coli	SIGNIFICANT RESULTS
	N	<3	20	40	60	80	100	>100	N	<3	20	40	60	80	100	>100	POS	NEG				
	POPK (Cont)																					
Ham, Canned	11	11	0	0	0	0	0	0	48	46	0	0	0	0	0	2	1	0	Aerobes - 15 isolates Alpha streptococcus - 1 isolate Anaerobes - 5 isolates Micrococcus species - 1 isolate Mycob species - 1 isolate Proteus - 1 isolate Bacillus species - 4 isolates Facal streptococci - 4 isolates Proteus vulgaris - 6 isolates Pseudomonas putrefaciens - 4 isolates Serratia liquefaciens - 4 isolates Serratia marcescens - 4 isolates Staphylococcus epidermidis - 4 isolates None			
Ham, Cooked	4	0	0	0	0	0	0	4	4	0	0	0	0	0	0	4	0	4	Staphylococcus aureus - 1 isolate Staphylococcus epidermidis - 1 isolate None			
Ham, Diced	83	51	22	2	0	1	2	3	88	11	9	8	11	4	2	43	1	6	Staphylococcus epidermidis - 4 isolates			
Ham, Sliced	104	62	25	4	3	3	2	5	106	32	24	7	7	4	9	23	1	10	Staphylococcus aureus - 1 isolate Staphylococcus epidermidis - 1 isolate None			
Ham, Sliced, Frozen	15	0	7	0	0	1	2	5	17	9	4	2	0	0	1	1	Not Tested	None	None			
Ham, Smoked	2	0	0	0	0	0	0	2	2	0	2	0	0	0	0	0	Not Tested	None	None			
Loin Roast	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	Not Tested	None	None			
Pork Rinds, Fried	3	2	1	0	0	0	0	0	3	3	0	0	0	0	0	0	Not Tested	None	None			
Roast	2	2	0	0	0	0	0	0	2	2	0	0	0	0	0	0	Not Tested	None	None			
Spare Ribs	2	0	0	1	0	0	0	1	2	0	0	0	1	0	0	1	Not Tested	Staphylococcus aureus - 2 isolates				
SAUSAGE																						
Beef Franks	1	1	0	0	0	0	0	0	0	Not Tested											Not Tested	None
Bockwurst	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	Not Tested	None	None			
Bologna	7	4	2	0	0	0	0	1	7	6	1	0	0	0	0	0	0	2	Bacillus species - 1 isolate Yeast and Mold - 1 isolate Bacillus species - 1 isolate Yeast and Mold - 8 isolates SPC - 3 spreaders			
Bologna, Sliced	77	46	11	3	2	1	4	7	82	52	15	7	0	0	1	7	2	6	None			
Bramschweiger	1	0	0	0	0	0	0	1	0	Not Tested											Not Tested	None
Chorizos	5	0	0	0	0	0	0	5	5	2	0	0	0	0	3	0	0	5	Facal streptococci - 5 isolates Lactobacillus - 5 isolates			
Frankfurters	3	0	1	0	1	0	0	1	3	3	0	0	0	0	0	0	1	3	Facal streptococci - 3 isolates Klebsiella pneumoniae - 1 isolate Proteus mirabilis - 1 isolate Staphylococcus aureus - 1 isolate Streptococcus epidermidis - 1 isolate Streptococcus faecalis - 1 isolate Bacillus species - 1 isolate			
Hot	6	4	0	1	0	0	0	1	6	6	0	0	0	0	0	0	Not Tested	None	None			

TABLE 28: Microbiological Results of Analyzing Beef, Pork, and Sausage (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g								Coliforms/g								<i>E. coli</i>		SIGNIFICANT RESULTS		
	N	<3	3-	21-	41-	61-	81-	100	>100	N	<3	3-	21-	41-	61-	81-	100	>100		POS	NEG
SAUSAGE (Cont)																					
Hot Italian Pork	30	0	0	0	0	0	0	0	30	30	3	3	1	3	0	2	1	20	22	16	<i>Actinobacter odoacetatus</i> var. <i>antitratum</i> - 2 isolates <i>Aeromonas hydrophila</i> - 1 isolate <i>Bacillus</i> species - 4 isolates <i>Citrobacter freundii</i> - 6 isolates <i>Clostridium perfringens</i> - 10 isolates <i>Enterobacter cloacae</i> - 10 isolates <i>Fecal streptococci</i> - 26 isolates <i>Klebsiella pneumoniae</i> - 2 isolates <i>Micrococcus</i> species - 4 isolates <i>Proteus mirabilis</i> - 3 isolates <i>Proteus vulgaris</i> - 4 isolates <i>Pseudomonas fluorescens</i> group - 2 isolates <i>Pseudomonas</i> species - 1 isolate <i>Salmonella</i> - 3 isolates <i>Salmonella enteritidis</i> - 2 isolates <i>Salmonella enteritidis</i> ser. <i>Infantis</i> - 1 isolate <i>Serratia liquefaciens</i> - 4 isolates <i>Staphylococcus aureus</i> - 3 isolates <i>Staphylococcus epidermidis</i> - 6 isolates <i>Streptococcus faecalis</i> - 3 isolates <i>Streptococcus faecalis</i> var. <i>liquefaciens</i> - 4 isolates <i>Streptococcus pneumoniae</i> - 1 isolate
Hot Italian Pork, Frozen	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	<i>Clostridium perfringens</i> - 1 isolate <i>Fecal streptococci</i> - 1 isolate <i>Actinobacter odoacetatus</i> var. <i>antitratum</i> - 1 isolate <i>Citrobacter freundii</i> - 1 isolate <i>Fecal streptococci</i> - 5 isolates <i>Klebsiella pneumoniae</i> - 1 isolate <i>Proteus mirabilis</i> - 1 isolate <i>Proteus vulgaris</i> - 1 isolate <i>Staphylococcus aureus</i> - 1 isolate <i>Streptococcus faecalis</i> var. <i>liquefaciens</i> - 1 isolate
Italian Brand	5	0	0	0	0	0	0	0	5	5	0	1	0	0	1	0	3	2	4	4	<i>Clostridium perfringens</i> - 1 isolate <i>Fecal streptococci</i> - 1 isolate <i>Actinobacter odoacetatus</i> var. <i>antitratum</i> - 1 isolate <i>Citrobacter freundii</i> - 1 isolate <i>Fecal streptococci</i> - 5 isolates <i>Klebsiella pneumoniae</i> - 1 isolate <i>Proteus mirabilis</i> - 1 isolate <i>Proteus vulgaris</i> - 1 isolate <i>Staphylococcus aureus</i> - 1 isolate <i>Streptococcus faecalis</i> var. <i>liquefaciens</i> - 1 isolate

TABLE 28: Microbiological Results of Analyzing Beef, Pork, and Sausage (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g								Coliforms/g								F. coli		SIGNIFICANT RESULTS
	N	<3	3-20	21-40	41-60	61-80	81-100	>100	N	<3	3-20	21-40	41-60	61-80	81-100	>100	POS	NEG	
SAUSAGE (Cont)																			
Italian Links	9	1	0	0	0	0	0	8	9	2	1	1	1	0	0	4	5	6	Actinobacter obovococcus var. anitratum - 1 isolate Aeromonas hydrophila - 1 isolate Bacillus species - 1 isolate Citrobacter freundii - 2 isolates Clostridium perfringens - 2 isolates Enterobacter cloacae - 2 isolates Fecal streptococci - 9 isolates Micrococcus species - 1 isolate Streptococcus faecalis - 1 isolate Streptococcus sanguis - 1 isolate Citrobacter freundii - 1 isolate Clostridium perfringens - 7 isolates Enterobacter cloacae - 1 isolate Enterobacter hafniae - 1 isolate Fecal streptococci - 11 isolates Klebsiella pneumoniae - 1 isolate Aeromonas hydrophila - 2 isolates Bacillus species - 2 isolates Citrobacter freundii - 2 isolates Clostridium perfringens - 4 isolates Diphtheroids - 1 isolate Enterobacter cloacae - 4 isolates Fecal streptococci - 11 isolates Klebsiella pneumoniae - 3 isolates Micrococcus species - 2 isolates Proteus mirabilis - 2 isolates Proteus morganii - 1 isolate Proteus vulgaris - 2 isolates Staphylococcus aureus - 2 isolates Staphylococcus epidermidis-4 isolates Streptococcus faecalis var. liquefaciens - 3 isolates Serratia liquefaciens - 2 isolates Fecal streptococci - 1 isolate
Italian Links, Hot	11	1	0	0	0	0	0	10	11	2	0	2	0	1	0	6	3	9	
Italian Pork	12	0	0	0	0	1	0	11	11	1	0	0	1	1	0	8	9	5	
Italian Pork, Frozen	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	
Linguica	3	1	0	1	0	0	0	1	3	3	0	0	0	0	0	0	0	3	
Patties	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	Not Tested		
Pipi Kaula	2	0	0	0	0	0	0	2	2	2	0	0	0	0	0	0	0	2	
Polish Pickled	18	4	12	2	0	0	0	0	18	18	0	0	0	0	0	0	Not Tested		

TABLE 28: Microbiological Results of Analyzing Beef, Pork, and Sausage (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g										Coliforms/g							F. coli	SIGNIFICANT RESULTS	
	N	<3	20	40	60	80	100	>100	3-	21-40	41-60	61-80	81-100	>100	POS	NEG				
	242	22	32	13	11	5	3	156	241	73	26	11	3	2	3	123	89	173		
Pork																				Actinobacter calcoaceticus var. antraxi - 5 isolates Aeromonas hydrophila - 2 isolates Arizona kirschmayeri - 1 isolate Bacillus species - 15 isolates Citrobacter freundii - 17 isolates Clostridium perfringens - 22 isolates Diphtheroids - 3 isolates Enterobacter agglomerans - 1 isolate Enterobacter cloacae - 24 isolates Enterobacter hafniae - 11 isolates Fecal streptococci - 237 isolates Klebsiella pneumoniae - 11 isolates Micrococcus species - 15 isolates Proteus mirabilis - 15 isolates Proteus vulgaris - 10 isolates Pseudomonas fluorescens group - 5 isolates Pseudomonas maltophilia - 2 isolates Salmonella (sero-group C2) - 1 isolate Serratia liquefaciens - 8 isolates Staphylococcus aureus - 23 isolates Staphylococcus epidermidis - 30 isolates Streptococcus equi - 1 isolate Streptococcus cremoris - 1 isolate Streptococcus faecalis - 14 isolates Streptococcus faecalis var. liquefaciens - 22 isolates Streptococcus faecalis var. zymogenes - 1 isolate Streptococcus faecium - 3 isolates Streptococcus lactis - 4 isolates Streptococcus pneumoniae - 1 isolate Streptococcus salivarius - 1 isolate Streptococcus sanguis - 3 isolates Enterobacter cloacae - 1 isolate Klebsiella pneumoniae - 1 isolate Streptococcus enteritidis - 1 isolate Streptococcus faecalis - 1 isolate
Pork and Sage	1	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	1		

TABLE 28: Microbiological Results of Analyzing Beef, Pork, and Sausage (Continued)

FOOD ITEM	Aerobic Plate Count 1000/g								Coliforms/g								<i>E. coli</i>		SIGNIFICANT RESULTS
	N	<3	20	40	60	80	100	>100	N	<3	20	40	60	80	100	>100	POS	NEG	
SAUSAGE (Cont)																			
Pork, Hot	153	11	19	4	3	3	2	111	109	0	13	6	6	3	0	81	39	127	Actinobacter salicostictus var. anitratum - 3 isolates Bacillus species - 8 isolates Citrobacter diversus - 1 isolate Citrobacter freundii - 6 isolates Clostridium perfringens - 12 isolates Enterobacter agglomerans - 1 isolate Enterobacter cloacae - 9 isolates Enterobacter hafniae - 1 isolate Fecal streptococci - 137 isolates Klebsiella pneumoniae - 7 isolates Micrococcus species - 7 isolates Proteus mirabilis - 9 isolates Proteus vulgaris - 4 isolates Providencia stuarti - 1 isolate Pseudomonas fluorescens group - 1 isolate Salmonella enteritidis ser. Anatum - 1 isolate Salmonella enteritidis ser. Derby - 1 isolate Salmonella enteritidis - 2 isolates Serratia liquefaciens - 2 isolates Serratia marcescens - 1 isolate Serratia species - 1 isolate Staphylococcus aureus - 9 isolates Staphylococcus epidermidis - 13 isolates Streptococcus agalactiae - 1 isolate Streptococcus durans - 1 isolate Streptococcus equi - 1 isolate Streptococcus faecalis - 9 isolates Streptococcus faecalis var. liquefaciens - 2 isolates Streptococcus faecalis var. zymogenes - 2 isolates Streptococcus lactis - 2 isolates Streptococcus pyogenes - 1 isolate Streptococcus sanguis - 5 isolates Yersinia enterocolitica - 1 isolate

GLOSSARY OF TERMS AND ABBREVIATIONS

CFPF - Central Food Preparation Facility

TSG - The Surgeon General

PFM - Precooked Frozen Meals

SPC - Standard Plate Count

var. - variety

ser. - serotype

OFFICIAL DISTRIBUTION LIST

Commander
US Army Medical Research and
Development Command
Fort Detrick, Frederick, MD 21701

Defense Documentation Center
ATTN: DDC-TCA (12 cys)
Cameron Station
Alexandria, VA 22314

Director of Defense Research and Engineering
ATTN: Asst Dir (Environmental and Life Sciences)
Washington, DC 20301

The Surgeon General
ATTN: DASG-TLO
Washington, DC 20314

Superintendent
Academy of Health Sciences
US Army
ATTN: AHS-COM
Fort Sam Houston, TX 78234

Assistant Dean
Inst & Rsch Support
Uniformed Services University
of Health Sciences
6917 Arlington Road
Bethesda, MD 20014

Commander
US Army Environmental Hygiene Agency
Aberdeen Proving Ground, MD 21070

US Army Research Office
ATTN: Chem & Bio Sci Div
P.O. Box 1221
Research Triangle Park, NC 27709

Biological Sciences Division
Office of Naval Research
Arlington, VA 22217

Director of Life Sciences
USAF Office of Scientific Research (AFSC)
Bolling AFB
Washington, DC 20332

Director
Walter Reed Army Institute of Research
Washington, DC 20012

Commander
US Army Medical Research
Institute of Infectious Diseases
Fort Detrick, Frederick, MD 21701

Commander
US Army Research Institute
of Environmental Medicine
Natick, MA 01760

Commander
US Army Institute of Surgical Research
Brooke Army Medical Center
Fort Sam Houston, TX 78234

Commander
US Army Institute of Dental Research
Washington, DC 20012

Commander
US Army Medical Bioengineering
Research & Development Laboratory
Fort Detrick, Frederick, MD 21701

Commander
US Army Aeromedical Research Laboratory
Fort Rucker, AL 36362

Director
US Army Biomedical Laboratory
Aberdeen Proving Ground
Edgewood Arsenal, MD 21010

Commander
Naval Medical Research Institute
National Naval Medical Center
Bethesda, MD 20014

Commander
USAF School of Aerospace Medicine
Aerospace Medical Division
Brooks AFB, TX 78235

Commander
USAF Aeromedical Research Laboratory
Wright-Patterson AFB, OH 45433

Dir of Prof Svcs
Office of the Surgeon General
Department of the Air Force
Washington, DC 20314

Deputy Technical Director
Food Service Systems Program
ORDNA-ZTF
US Army Natick Research &
Development Command
Natick, MA 01760 (6 cys)

Army Staff Monitor
DOD Food Program
OCRDA
DAMA-CSS-D
Washington, DC 20310 (2 cys)

Joint Technical Staff
US Army Natick Research &
Development Command
Natick, MA 01760 (4 cys)

US Army Natick Research &
Development Command
ATTN: Tech Library
Natick, MA 01760

C, US Army Vet Corps
HQDA (DASG-VCA)
Washington, DC 20310 (2 cys)

C, Tech & Qlty Assurance Div
Directorate of Subsistence
HQ, DPSC
Philadelphia, PA 19101 (2 cys)

AAFES-PR-V
Army & Air Force Exchange Service
Dallas, TX 75222

Dir Vet Services
US Army Health Services Command
Ft Sam Houston, TX 78234 (2 cys)

Commander
196th Medical Detachment (VS)
MEDDAC K
APO San Francisco 96301

Veterinary Science Division
AHS (HSA-IVS)
Ft Sam Houston, TX 78234 (2 cys)

US Army Medical Laboratory
AFZG-MDP-V
Ft Sam Houston, TX 78234 (10 cys)

HQ USAF/SGV
Bolling AFB
Washington, DC 20332 (5 cys)

HQ US Army Troop Support Agency
Veterinary Staff Office
ATTN: DALO-TAZ-V
Ft Lee, VA 23801 (2 cys)